UltraCeram® Triple Undersink

Premium Drinking Water System

Ceramic Disc



RETRO H22cm x W17cm Item #3161





Item #1176

EURO

Long Reach

Item #1156

H22cm x W22cm

PETITE **ANTIQUE** H19cm x W14cm H28cm x W18cm



Item #1177

EURO High Loop H27cm x W21cm ltem #1157



H25cm x W20cm tem #1175



METRO H25cm x W16cm tem #1692

Stainless Steel



CLASSIC High Loop H30cm x W18cm tem #2350



CLASSIC Long Reach H28cm x W21cm tem #2826



FEDERATION FEDERATION ong Reach H25cm x W21cm tem #2824

Stainless Steel Mixers



SS MIXER Standard Spout H28cm x W24.5cm tem #2170



High Loop

tem #2825

H29cm x W23cm

High Loop H39cm x W28cm Item #1166



H36cm x W27cm Item #2819

Mixer - Hot. Cold & Filtered



NOVA H22cm x W24cm Item #1980

Compression Tee*



3 WAY MIXER H17cm x W28cm Item #1165




FLAT MIXER H23cm x W24cm Item #2849



SIDE LEVER H33cm x W25cm Item #1169



Dishwasher*



CARBON BLOCK - 1 MICRON Superior Chlorine & Heavy Metal Removal

5 YEAR WARRANTY* Hand Built in Australia

REDUCTION %

99.99

99.0

97.6 - 99.0

99.3

99.3

99.5

99.3 99.7

99.9

99.9

98.7

The UltraCeram® Triple Undersink System

















The Australian WaterMark Standard Approval of this system is your guarantee of quality.

Specifications	
Filter Output	5,000 litres
Max Flow Rate	3 litres p/min
Dimensions (cm)	32(W) x 33H) x 12.5(D)
Micron Rating	0.2 Micron nominal
Warranty	5 years*

*Warranty Terms & Conditions apply.



*All Fittings include a Pressure Limiting Valve (PLV)

Iron, Lead, Manganese, Cadium

Filtration Test Results

Residual Chlorine Content

Bromoform

Chloroform

Copper, Mercury

Aluminium

Bromodichloromethane

Dibromochloromethane

IMPURITIES

FLUORIDE

e-Coli

Mains Water

Ceramic

Diagram 2 - The UltraCeram®

Stera Filter Cartridge

GIARDIA 7-12 Micron | 99.999% Rer

CRYPTOSPORIDIUM ______

PATHOGENIC BACTERIA •

4-6 Micron I 99.999% Remova

Made in UK

Stage 1 - UltraCeram® Stera 0.5 Micron Absolute Pre-Filter

Pre-Filtered Water



Manufactured with UltraCeram® Stera Ceramic which provides genuine sub-micron filtration. This stage reduces fine particulate matter, bacteria, cysts and turbidity. Silver, incorporated within this ceramic structure provides enhanced bacteriostatic and self sterilizing properties.



Mechanically filters out harmful bacteria and parasites.

Removes		
Parasites/Cysts	Salmonella	
Cryptosporidium	Cholera	
Giardia	Sediment	
Bacteria	Dirt	
e-Coli Bacteria	Rust	

Ø

Removing the above contaminants protects the Carbon Block Post Filter cartridge, allowing it to function more effectively and last longer.







Stage 2 - UltraCeram® Fluoride Filter

The fluoride removal media is made from the same mineral that rubies and sapphires (corundum) are made from, in crystalline form. The process 'selective adsorption' is a physical/chemical reaction whereby the fluoride ions are removed by binding to the media's oxidised surface. This highly porous material has a large surface area of 200meter² per gram for optimal filtration.

Removes	
	97.6% - 99.0% Fluoride



Stage 3 - Carbon Block 1 Micron Post-Filter



The 1 micron Carbon Block filter effectively removes chlorine, heavy metals and the unpleasant tastes and odour associated with these contaminants.


Made from premium coconut-shell carbon, fresher, sweeter tasting water is ensured.

Removes		
Chlorine	Lead	
Aluminium	Mercury	
Cadmium	Zinc	
Copper	Odour	
Iron	Taste	

This combination of ultra-fine Ceramic and quality Carbon Block will provide you and your family with superior quality filtration and much improved taste compared to other standard twin filter systems.


Undersink Setup

Diagram 5



- A 1/4" blue tube connects the feed water valve to the Pre-Filter.
- **B** 1/4" **blue tube** connects the Carbon Block Post Filter to the chrome faucet.





For further assistance in regard to Installation & Maintenance of the UltraCeram Triple Undersink, please contact The Water Shop directly on 02 9458 1111

*We recommend replacing your UltraCeram Stera cartridge every 2-3 years and the Carbon Block cartridge yearly dependent on water quality and usage.