

INOVAAIR®

AirClean Chemical PLUS

Air Purifier

Serious about clean air...
because an air purifier
is only as good as the
filters inside



Advantages

- High airflow quickly reduces ambient dust, allergens and chemical pollutants.
- Plastic-free, chemical-free all steel powder coated construction.
- EC Fan offering class leading energy consumption (6 watts @ 120m³/hour).
- High-Flow™ air diffuser with silencer for ultra quiet operation.
- Main filter life between 3-5 years for low running cost.

Applications

- Effective in large areas up to 100m² (1076ft²), suitable for smaller areas such as bedrooms or offices requiring a high level of air purification.
- Highly effective in removing dust, allergens, mould spores and musty odours.
- Situations involving chemical off-gassing from new furnishings, pollution from main roads and odours.
- Portability, easily moved from room to room on wheels.



INOVAAIR®

AirClean Chemical PLUS

Air Purifier

Flexible area coverage


The InovaAir Chemical PLUS air purifier is flexible in operation and can be used in either single or multiple rooms or the entire home or office.



Green Choice Filters

Large filters not only result in superior filtration and airflow, they also result in:

- lower energy consumption
- longer filter life
- less environmental impact
- Lower cost of ownership



Dimensions



10kg (22lb) Activated Carbon Filter



High Efficiency Technostat® Pre-filter

INOVAAIR®

AirClean Chemical PLUS

Air Purifier



Technical Specifications	
Model	AirClean Chemical PLUS Portable Air Purifier
Coverage	
Air Delivery/Airflow	Air delivery 106-510m ³ /hour (62-300cfm)
	Recommended coverage area 20-100m ² (215-1076ft ²)
Motor	
Motor Type	EC Centrifugal Fan (European), designed for continuous 24 hour operation (ball bearing maintenance free)
Speed Control	Infinitely Speed Controllable with Potentiometer Control
Power Consumption	6-84 watts
Power Supply	230 V, 50Hz
Operating Temperature	Min 0 °C, Max 40 °C (32-104 °F)
System Enclosure	
Construction	Australian made, Dulux® Powder Coated Zinc Steel 20 gauge
Dimensions	39 x 39 x 58cm (15.3 x 15.3 x 22.8")
Weight (Inc. filters)	23kgs (50.7lbs)
Filter Specifications	
Filter 1: Pre-filter x 1	Technostat® Electrostatically Charged High Efficiency Pre-filter
Stage 2: 10kg Activated Carbon Filter x 1	Coconut shell activated carbon filter used for applications exclusively requiring heavy duty chemical & odour removal
Filter Change Intervals**	
Stage 1: Pre-filter	6 months of continuous use
Stage 2: 10kg Activated Carbon Filter	3- 5 years continuous use
Warranty	
	3 years (parts & labour)

* Filter life will vary depending on dust & chemical concentrations present.
 Specifications subject to change without notice. All trademarks are property of their respective owners.



InovaAir Australia Pty Ltd
TEL: 1300 881 230
 Unit 3, 5a Pioneer Avenue
 Tuggerah NSW 2259 Australia
 © InovaAir Australia Pty Ltd 2017